

5.4

## -- FIG. 3




FIG. 4




FIG. 5




FIG. 6

4420




FIG. 7





FIG. 8



6/12 FIG. 9


132d 132d1 132d2 132d3


/	
DESTINATION ROUTER	NETMASK
xxx. yyy. 2. 1	255. 255. 255. 0
xxx. yyy. 2. 1	255. 255. 255. 0
xxx. yyy. 2. 1	255. 255. 255. 0
xxx. yyy. 2. 1	255. 255. 255. 0
xxx. yyy. 2. 1	255. 255. 255. 0
:	:
	ROUTER  xxx. yyy. 2. 1  xxx. yyy. 2. 1  xxx. yyy. 2. 1  xxx. yyy. 2. 1

## FIG. 10

<u>132p</u> ≤ 132p1	<pre>5 132p2</pre>	
DOMAIN NAME	PRINTER NAME	IP ADDRESS
xxx. yyy. 1. 0	D I AMOND	ххх. ууу. 1. 100
ххх. ууу. 2. 0	EMERALD	ххх. ууу. 2. 10
xxx. yyy. 2. 0	CRYSTAL	ххх. ууу. 2. 22
ххх. ууу. 3. 0		
xxx. yyy. 4. 0		
xxx. yyy. 11. 0		

7/12 FIG. 11









FIG. 14








FIG. 16

